

Is Bleeding Between Periods

Normal?

Speak to your healthcare provider and get the answers you need about abnormal uterine bleeding with one exam.



IMPORTANT SAFETY INFORMATION

Endosee® Advance Direct Visualization System is used to view the cervix, uterus, or female urinary tract. The Endosee system uses a thin viewing camera inserted through the vagina. Tell your doctor if you have a vaginal, cervical or bladder infection, uterine bleeding, or heavy bleeding, known pregnancy, cervical cancer or recent uterine injury, or intolerance to anesthesia. A visual examination of the lining of the bladder and urinary tract is not used in patients with severe bleeding disorders, or with frequent urinary tract infections. For more information, please consult your healthcare provider.



One visit. One procedure.

Endosee[®] Advance can show your doctor what they need to know to determine the optimal course of care.





in-office setting vs. the operating room²

Stop waiting. Stop worrying. Start seeing.

Endosee[®] Advance can help you understand your options.

Abnormal uterine bleeding is more





Use of Endosee camera is typically 3 minutes⁴*

common than you might think. In fact, it accounts for one out of every three gynecological visits.¹

Endosee Advance uses crystal-clear, instant imaging to give your doctor a direct view inside the uterus to help identify the cause of abnormal uterine bleeding.



Frequently Asked Questions

Does Endosee® Advance require an operating room?

Endosee Advance can be used effectively in your doctor's office during a routine exam. Women may avoid the operating room or having to go under anesthesia.³

What happens afterwards?

Endosee Advance provides your healthcare provider with instant, same day results. Your doctor can confidently plan the proper course of care right after your exam.

Should I be concerned about possible side effects?

Some women do experience spotting, menstrual-like cramps and stomach discomfort. However, patients may have little or no discomfort during or after the procedure.³

As with all medical procedures, risks are involved. Be sure to talk to your healthcare provider about any concerns you may have.



*Based on 2019 Internal survey of Diagnostic only procedures, n= 69, conducted by one paid provider.

References 1. Harvard Health Publishing. (2020). Abnormal uterine bleeding in peri- and postmenopausal women. 2. Anderson T., Hand-held digital hysteroscopy system a game-changer; Contemporary OBGYN; Sep 13, 2016 3. Endosee Advance Instructions for Use. Trumbull, CT; CooperSurgical 2020. 4. Based on Endosee Advance case study 2019 data on file ©2023 CooperSurgical, Inc.

©2023 CooperSurgical, Inc. All Rights Reserved. C-US-END-000083 10/23